



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Report from Habana.

Assistant Surgeon Trotter reports, February 26, as follows:

Mortuary statistics for the week ended February 21, 1903.

Disease.	Number of deaths.	Disease.	Number of deaths.
Tuberculosis	25	Enteritis	7
Pneumonia	3	Pernicious fever	1
Bronchitis	3	Meningitis	10
Membranous angina	1	Yellow fever (imported from Progreso)	1
Diphtheria	1		
Typhoid fever	1	Total from all causes	117

Mortality statistics of Matanzas.

Assistant Surgeon von Ezdorf reports, February 26, as follows: A total of 20 deaths was reported during the week ended February 21, making the annual rate of mortality for this period 21.66 per 1,000. The causes of death were as follows: Tuberculosis, 5; gastric fever, 1; gastro-enteritis, 1; enteritis, 1; broncho-pneumonia, 2; tetanus, infantile, 1; nephritis, 1; diabetes, 1; other causes, 7.

No quarantinable disease was reported in the district.

The SURGEON-GENERAL.

Report from Santiago.

Acting Assistant Surgeon Wilson reports, February 26, as follows:

Mortality statistics for the week ended February 21, 1903.

Cause of death.	Number.
Typhoid fever	1
Tubercle of lungs	3
Infantile tetanus	1
Organic heart disease	1
Cerebral embolism	1
Bronchitis	1
Tonsillar angina	1
Diarrhea and enteritis (under 2 years)	2
Strangulated hernia	1
Jaundice of the newborn	1
Ill-defined or unspecified causes of death	2
Total	15

Annual rate of mortality for the week, 18.1 per 1,000. Estimated population, 43,000.

ECUADOR.

Quarantine against San Francisco raised.

MARCH 7, 1903.

The vice-consul-general at Guayaquil reports, March 6, as follows: Quarantine now in force will be abolished on March 11, date of departure San Francisco.

The SECRETARY OF STATE.